



Telycam Telecam Technology Co.,Ltd

Address: 6F, Building A, Shuanghuan Information Technology Industrial Park, No.8, Baoqing Rd, Longgang District, Shenzhen, 518116, China
Tel: +86-755-33275155

TLC-600-IP-5-4K 4K UHD Video Camera


A professional grade 4K Ultra HD video camera, support IP and SDI video output, total 20x lossless zoom, ideal for broadcast level AV solution, high end video conferencing and video record application.



Advantages

- Adopts high end grade image processing system and 1/2.5 inch 8.5MP sensor, output 3840x2160 30fps ultra HD video resolution
- 4K wide angle optical lens: 5x optical zoom +4x digital zoom, 85 degree wide field of view;
- 4K video main stream over IP, and support H.264, H.265 encoding;
- Support POE: Easy to use one RJ45 cable to get video, control and power supply;
- Special Focusing Algorithm: Fast and precise focusing performance when zooming or moving;
- With WDR, 3D Noise Reduction feature;
- Support fast video switching: Only 3 seconds needed;
- Support IP and SDI output video simultaneously, to meet multi-application;
- Standard Sony VISCA, VISCA over IP control, and support RS232 serial control;
- Supplied with functional IR remote controller, can set IP address via OSD menu;
- Automatic access to the IP address;
- 128 presets;
- Image flip function, support upside-down installation;

Output Interface





Telycam Telecam Technology Co.,Ltd

Address: 6F, Building A, Shuanghuan Information Technology Industrial Park, No.8, Baoqing Rd, Longgang District, Shenzhen, 518116, China

Tel: +86-755-33275155

| | |
|------------------|---|
| Electric Shutter | Auto / Manual |
| BLC | Auto / Manual |
| Video Encoding | H.264/H.265 |
| Bit Rate Control | Variable Bit Rate, Constant Bit Rate |
| Video Bit Rate | 1024Kbps~20480Kbps |
| Frames | 1fps~30fps |
| IP Protocol | TCP/IP, HTTP, RTSP, RTMP, Onvif, DHCP, VISCA, VISCA over IP |
| POE | Supported |
| Input Voltage | DC12V/POE(IEEE802.3af) |
| Dimension | 168.8 x 80 x 80 (MM) |
| Net Weight | 0.65KG |